


## Theory and Simulation of Real and Ideal Magnetohydrodynamic Turbulence



Filesize: 2.15 MB

### ***Reviews***

*The book is straightforward in read through better to recognize. it absolutely was writtern quite completely and valuable. Its been printed in an exceptionally simple way which is only after i finished reading this book where really altered me, alter the way i believe.*

*(Kenyatta Berge DDS)*

## THEORY AND SIMULATION OF REAL AND IDEAL MAGNETOHYDRODYNAMIC TURBULENCE



To get **Theory and Simulation of Real and Ideal Magnetohydrodynamic Turbulence** PDF, remember to access the web link under and download the document or gain access to other information which are in conjunction with THEORY AND SIMULATION OF REAL AND IDEAL MAGNETOHYDRODYNAMIC TURBULENCE ebook.

BiblioGov. Paperback. Book Condition: New. This item is printed on demand. Paperback. 34 pages. Dimensions: 9.7in. x 7.4in. x 0.1in. Incompressible, homogeneous magnetohydrodynamic (MHD) turbulence consists of fluctuating vorticity and magnetic fields, which are represented in terms of their Fourier coefficients. Here, a set of five Fourier spectral transform method numerical simulations of two-dimensional (2-D) MHD turbulence on a  $512^2$  grid is described. Each simulation is a numerically realized dynamical system consisting of Fourier modes associated with wave vectors  $k$ , with integer components, such that  $k_x \leq k_{\text{max}}$ . The simulation set consists of one ideal (non-dissipative) case and four real (dissipative) cases. All five runs had equivalent initial conditions. The dimensions of the dynamical systems associated with these cases are the numbers of independent real and imaginary parts of the Fourier modes. The ideal simulation has a dimension of 366104, while each real simulation has a dimension of 411712. The real runs vary in magnetic Prandtl number  $P_M$ , with  $P_M$  is a member of 0.1, 0.25, 1, 4. In the results presented here, all runs have been taken to a simulation time of  $t = 25$ . Although ideal and real Fourier spectra are quite different at high  $k$ , they are similar at low values of  $k$ . Their low  $k$  behavior indicates the existence of broken symmetry and coherent structure in real MHD turbulence, similar to what exists in ideal MHD turbulence. The value of  $P_M$  strongly affects the ratio of kinetic to magnetic energy and energy dissipation (which is mostly ohmic). The relevance of these results to 3-D Navier-Stokes and MHD turbulence is discussed. This item ships from La Vergne, TN. Paperback.

 [Read Theory and Simulation of Real and Ideal Magnetohydrodynamic Turbulence Online](#)

 [Download PDF Theory and Simulation of Real and Ideal Magnetohydrodynamic Turbulence](#)

## See Also



### [PDF] DK Readers Robin Hood Level 4 Proficient Readers

Click the link listed below to download "DK Readers Robin Hood Level 4 Proficient Readers" PDF document.

[Read Document »](#)



### [PDF] Viking Ships At Sunrise Magic Tree House, No. 15

Click the link listed below to download "Viking Ships At Sunrise Magic Tree House, No. 15" PDF document.

[Read Document »](#)



### [PDF] Kindle Fire Tips And Tricks How To Unlock The True Power Inside Your Kindle Fire

Click the link listed below to download "Kindle Fire Tips And Tricks How To Unlock The True Power Inside Your Kindle Fire" PDF document.

[Read Document »](#)



### [PDF] The Stories Julian Tells A Stepping Stone BookTM

Click the link listed below to download "The Stories Julian Tells A Stepping Stone BookTM" PDF document.

[Read Document »](#)



### [PDF] Absolutely Lucy #4 Lucy on the Ball A Stepping Stone BookTM

Click the link listed below to download "Absolutely Lucy #4 Lucy on the Ball A Stepping Stone BookTM" PDF document.

[Read Document »](#)



### [PDF] Good Night, Zombie Scary Tales

Click the link listed below to download "Good Night, Zombie Scary Tales" PDF document.

[Read Document »](#)